



LEMAITRE

BBF
EQUIPEMENT

2025


SAFETY FOOTWEAR CATALOGUE

A Global Vision Supporting Local Production.

Lemaitre remains dedicated to supporting local businesses and SMMEs by sourcing key components and outsourcing portions of our production to local suppliers. This ensures that we contribute to the local economy and communities beyond our own workforce. The majority of the work in producing our safety footwear is done in South Africa, at our factory in Port Elizabeth and through various independent CMTs.

At the same time, we recognize the importance of staying competitive in a global market and following international trends. Through the international Lemaitre brand, we selectively access popular styles to provide niche styling for individual tastes and to test the appeal in the African markets. By blending local production with selective importing, we are able to offer high-quality safety footwear while still supporting our local economy and workforce.

Lemaitre Safety Footwear is proudly manufactured for workers, by workers. It's time for us to all play our part in rebuilding the economy - as a major enterprise, small business or even an individual consumer - let's start interrogating our purchasing decisions and support each other in pursuit of a brighter future for all.



AN OPEN LETTER TO ALL WORKERS

WORK, IS NOT JUST WORK.

WORK, IS A REFLECTION OF WHO WE ARE.

IT'S HOW WE ARE SEEN AND WHAT WE WANT TO BE KNOWN FOR.

IT'S OUR EXPRESSION.

AN HONEST DAY'S WORK IS ONE THAT WE CAN SAY WITH PRIDE,

ONE THAT IS DEPENDABLE.

RESPECTFUL.

HARD-WORKING.

IT'S APPRECIATION FOR A JOB WELL DONE.

IT'S OUR BREAD AND BUTTER.

IT'S WHAT OUR FAMILY CHAMPIONS US FOR.

WE ARE RELIED ON FOR OUR EXPERT SKILLS.

WE PRIDE OURSELVES ON OUR WORKMANSHIP.

FROM STITCH TO STEP, WE ACKNOWLEDGE THOSE WHO WORK JUST AS HARD.

FROM ONE WORKER, TO ANOTHER.

LEMAITRE SAFETY FOOTWEAR.

CONTENTS



■	INTRODUCTION	6-7
	SHOE DISSECTION	
■	FOOTOLOGY	8
	FOOTOLOGY ACCESSORIES	
■	RAPTOR RANGE TORSION CONTROL	9-12
	FALCON BOOT	
	FALCON SHOE	
	OSPREY HIKER	
	HAWK	
	EAGLE	
■	APOLLO RANGE SLIP-RESISTANCE	13-16
	BEN	
	CLOG	
	SPORT	
	GALAXY	
■	GLADIUS RANGE ALL-ROUND SAFETY	17-22
	MAXECO PRO	
	ROBUST	
	METAGUARD	
	MAXIMUS	
	EROS	
	ZEUS	
	TURTLE	
■	PARABOLIC RANGE COMFORT AND ANTI-FATIGUE SUPPORT	23-27
	CONCORDE SHOE	
	CONCORDE BOOT	
	NOMAD	
	QUEST	
	ODYSSEY	
■	INYATI RANGE DURABILITY AND GRIP	28-31
	DODGE	
	URBAN	
	TITANIUM	
	WARRIOR	
■	LEMAITRE GLOBAL ESD AND S3 RANGE	32-43
	BOLT S3 ESD	
	RAGE, S3 ESD	
	OMAHA S3	
	OCEAN S3	
■	CHEMICAL RESISTANCE TABLE	44

TECHNOLOGY THAT PUTS THE SAFE IN SAFETY FOOTWEAR

Here is a brief overview of the technologies incorporated in our various safety footwear ranges that are SANS 20345 approved.

This serves as a representation of different technologies used across the ranges. Please refer to the individual product spec sheet for an accurate reflection of the technologies incorporated in a particular product.

INDUSTRY STANDARDS

AND INDUSTRY AFFILIATIONS

Meets the requirements of the
South African Bureau of Standards in terms of:
SABS ISO 9001 FACTORY
SABS ISO 20345

SAFLIA

BBF Safety Group (Pty) Ltd. is a member of SAFLIA
(South African Footwear and Leather Industries
Association)
www.safliia.co.za

SAFLEC

BBF Safety Group (Pty) Ltd. is a member of SAFLEC
(South African Footwear and Leather Export Council)
www.saflec.co.za

SAPEMA

BBF Safety Group (Pty) Ltd. is a member of SAPEMA
(South African Protective Equipment Marketing
Association)
www.sapema.org

NELSON MANDELA BAY BUSINESS CHAMBER

The Business Chamber is a non-profit business
association, representative of a broad spectrum
of businesses in Nelson Mandela Bay.
www.nmbbusinesschamber.co.za



SABS ISO 9001 CERTIFIED

METAGUARD

- Polycarbon metaguard for enhanced protection of the metatarsal bones

UPPER

- Genuine full-grain leather
- Genuine split leather
- Mesh fabric
- Microfibre

VAMP LINING

- Non-woven synthetic fibre for enhanced comfort and breathability
- Punch detail for enhanced breathability

TOE CAP

- Steel - resistant to an impact of 200J of pressure and 15kN of compression
- Wide or extra-wide fitting
- Fitted with an edge covering for enhanced comfort
- Available in Aluminium toe cap options for lighter weight, non-magnetic solution.

ABRASION PREVENTION

- Anti-toe and heel scuff

TOP SOCK

- Durable polyester/memory foam and/or PU materials.
- Removable and replaceable
- Anti-fungal
- Anti-bacterial
- Anti-static

TORSION CONTROL INSERTS

- For balance to keep you sure-footed on uneven ground and added durability

SOLE UNIT

Our safety shoe ranges each offer a unique sole with properties to suit your needs and working conditions.

- Raptor sole unit for torsion control
- Apollo sole unit for slip-resistance
- Gladius sole unit for all-round safety
- Parabolic sole unit for comfort and anti-fatigue
- Inyati PU rubber sole unit for advanced durability, protection and comfort
- Lemaitre Global will include a variety of internationally proven sole units.



TONGUE

- Bellows/Gibson tongue
- Padded for comfort

COLLAR

- Genuine leather
- Polyurethane coated material
- Mesh fabric
- Padding for comfort

QUARTER LINING

- Non-woven material for comfort and breathability
- Foam support for enhanced comfort
- Punch detail for enhanced breathability

HEEL STIFFENER

- For shape longevity

SHANK

- Improved Arch and midfoot support and reduces fatigue.
- Enhanced stability and balance and additional comfortable smooth walking.
- Better distribution of pressure and weight.
- Enhance durability and extend the life of the shoe.

IN SOCK

- Anti-static non-woven material

ANTI-PENETRATION MIDSOLE

- For protection against sharp objects penetrating the boot

STEEL MIDSOLE

- Steel midsole-resistance to a force of 1 110N



(VIEW THIS SECTION FOR REFERENCE)

RAPTOR

APOLLO

GLADIUS

PARABOLIC

INYATI

LEMAITRE GLOBAL



As part of the BBF Safety Group, Footology leverages over 250 years of combined safety footwear experience to design, develop and manufacture innovative accessories that enhance various safety footwear styles and features

TOP INSOLES



FOOTOLOGY ELASTOPAN CLIMATE CONTROL INSOLE ACC13331

Enhanced comfort, hygiene & protection

Colour: Black
 Sizes: 2-15

- ✓ Fast & complete absorption of humidity (up to 300% higher than standard PU)
- ✓ Thermal regulation
- ✓ Superior cushioning & anatomical arch support
- ✓ Honeycomb design for added shock absorption & air flow
- ✓ Lightweight & breathable
- ✓ Antifungal & antibacterial
- ✓ Durable & anti-static

INCORPORATED IN SELECTED STYLES AND AVAILABLE AS A STAND-ALONE PURCHASE.

SOCKS



FOOTOLOGY SMELTER SOCK ACC13672

Flame retardant with antibacterial features

Colour: Charcoal
 Sizes: 1 size fits all

- ✓ Flame retardant – recommended for high heat conditions
- ✓ Antibacterial
- ✓ Made from natural fibres
- ✓ Temperature regulating
- ✓ Moisture wicking & odour resistant
- ✓ Full calf length for added protection against molten splashes
- ✓ Reinforced heel & toe areas for cushioning & durability



FOOTOLOGY INDUSTRIAL ANKLET SOCK ACC13567

Anti-static & antibacterial comfort

Colour: Navy
 Sizes: 4-8 / 9-12

- ✓ Silver-coated stripes knitted into the sock for superior anti-static performance
- ✓ Anti-static effect is permanent & does not diminish over time
- ✓ Treated with RUCO-BAC AGP antimicrobial silver-based technology – eliminates 95% of bacteria within 2 hours
- ✓ Prevents allergies & foot infections
- ✓ Made with eco-conscious materials & methods for an environmentally-friendly sock

LACES



FOOTOLOGY 90CM LACES ACC13546-BLK Colour: Black

FOOTOLOGY 110CM LACES ACC13545-BLK Colour: Black Colour: Black

FOOTOLOGY 180CM LACES ACC13555-BLK


OTHER ACCESSORIES



FOOTOLOGY ANTIBACTERIAL FOOT SPRAY ACC12917

Antiperspirant & antibacterial with a cooling effect

- ✓ Keeps feet dry & sanitised
- ✓ Reduces foot odour
- ✓ Antiperspirant with a cooling effect
- ✓ Advanced formula containing antifungal & antibacterial agents



RAPTOR RANGE

| TORSION CONTROL

The Lemaitre Raptor range, with torsion control, provides the perfect fit for environments where uneven terrain is prevalent, such as construction and agriculture. Whether on the ground or traversing scaffolding or ladders, the built-in thermoplastic polyurethane (TPU) plate available in the midsole of some of these safety shoes and boots is designed around the pressure points exerted on the arch of the foot and assists in giving the foot added support and control. Keep hard-working feet safely secured in Lemaitre's range of torsion controlled safety footwear.

FALCON BOOT

8027 - STC | 8063 - SMS

BLACK | SIZE: 5 - 12

NEW



SCAN TO VIEW
VIDEO (BOOT AND SHOE)

The Falcon Boot boasts a padded collar and padded bellows tongue for increased comfort to the wearer. The Dual Density PU sole unit and TPU inserts allow for an aggressive grip, making this boot perfect for those making regular use of ladders and scaffolding. The TPU plates are designed to provide rigidity and stability irrespective of the terrain as well as providing added durability in key areas. The TPU insert in the arch is specifically designed to add grip and protect the foot when standing on ladders and scaffolding for long periods.

UPPER

- Full-grain leather upper for enhanced durability
- Smooth Buffalo leather with PU material on the collar and tongue region
- Padded collar for improved comfort
- Padded bellows tongue for added comfort and enhanced defence against debris entering the shoe
- 2 sets lace guides and 2 sets Ghillie loops
- Heel stiffener for shape longevity

TOP SOCK

- Anti-static in-sock
- Made from a durable polyester material that offers abrasion resistance
- Treated with Ultra-Fresh technology to impart anti-bacterial and anti-static properties

MIDSOLE

- Shank reinforcement for additional arch support
- The midsole is made from a flexible low density polyurethane with a shore hardness of 45 - 55
- Also available with a Steel Midsole - Shoe 8062 | Boot 8063

TOE CAP

- Steel (200 Joules)

SOLE

- The Raptor sole is made from Double Density PU/PU
- The outer sole is made from a high durability polyurethane with a shore hardness of 55 - 70
- Built-in TPU inserts for additional support and torsion control
- The shoe can withstand temperatures up to 95°C
- The shoe has SRA rated slip-resistance
- Anti-static

SANS / ISO 20345

STC | NRCS/9002/287766/0312

SMS | NRCS/9002/287766/0318

FALCON SHOE

8030 - STC | 8062 - SMS

BLACK | SIZE: 5 - 12

NEW



UPDATE

The Falcon shoe boasts a padded collar and padded bellows tongue for increased comfort to the wearer. The Dual Density PU sole unit and TPU inserts allow for an aggressive grip, making this shoe perfect for those making regular use of ladders and scaffolding. The TPU plates are designed to provide rigidity and stability irrespective of the terrain, as well as provide added durability in key areas. The TPU insert in the arch is specifically designed to add grip and protect the foot when standing on ladders and scaffolding for long periods.

UPPER

- Full-grain leather upper for enhanced durability
- Smooth Buffalo leather with PU material on the collar and tongue region
- Padded collar for improved comfort
- Padded bellows tongue for added comfort and enhanced defence against debris entering the shoe
- 2 sets lace guides and 2 sets Ghillie loops
- Heel stiffener for shape longevity

TOP SOCK

- Anti-static in-sock
- Made from a durable polyester material that offers abrasion resistance
- Treated with Ultra-Fresh technology to impart anti-bacterial and anti-static properties

MIDSOLE

- Shank reinforcement for additional arch support
- The midsole is made from a flexible low density polyurethane with a shore hardness of 45 - 55
- Also available with a Steel Midsole - Shoe 8062 | Boot 8063

TOE CAP

- Steel (200 Joules)

SOLE

- The Raptor sole is made from Double Density PU/PU
- The outer sole is made from a high durability polyurethane with a shore hardness of 55 - 70
- Built-in TPU inserts for additional support and torsion control
- The shoe can withstand temperatures up to 95°C
- The shoe has SRA rated slip-resistance
- Anti-static

SANS / ISO 20345

STC | NRCS/9002/287766/0291

SMS | NRCS/9002/287766/0317

NEW

OSPREY HIKER

8038 - STC | 8238 - NSTC

BLACK OR TAN | SIZE: 5 - 12

The Osprey Hiker allows wearers to traverse varying and uneven terrain. It provides the ultimate in torsion control, ensuring the wearer remains sure-footed with exceptional ankle support wherever they go. The full-grain leather upper adds durability to this boot, whilst the padded collar and bellows tongue provide comfort.



SCAN TO VIEW
VIDEO



UPPER

- S2 rated pull-up full-grain leather
- S2 leather scuff with PU coating on back counter and vamp
- Extra comfort padded collar and bellows tongue
- 125 cm black braided nylon laces
- 4 pairs Mogul eyelets and 2 pairs lace hooks
- Heel stiffener for shape longevity

TOP SOCK

- Footology Elastopan climate control insole is a moulded insole which provides superior cushioning, lightweight comfort, breathability and durability
- PU Elastopan material ensures good thermal regulation to keep feet cool
- Treated with anti-bacterial and anti-microbial agent
- Anti-static

MIDSOLE

- Shank reinforcement for additional arch support
- Made from a flexible low density polyurethane with a shore hardness of 45 - 55

TOE CAP

- Steel (200 Joules)
- Also available with a soft toe - 8238

SOLE

- The Raptor sole is made from Double Density PU/PU
- The outer sole is made from a high durability polyurethane with a shore hardness of 55 - 70
- The boot can withstand temperatures up to 95°C
- The boot has SRA rated slip-resistance
- Anti-static
- Extra-wide sole unit for stability and torsion control

SANS / ISO 20345

STC | NRCS/9002/287766/0335

*disclaimer: ISO 20345 Excludes soft toe versions of footwear

HAWK

8024 - STC

BLACK AND GREY | SIZE: 5 - 12

Designed with the construction worker in mind, the Hawk is fitted with an aggressive TPU grip in the arch area of the sole for optimum support on scaffolding and ladders. Incorporating a padded collar and padded bellows tongue for enhanced comfort, as well as punch detail in the upper for improved breathability, the shoe also features an anti-toe and heel scuff for enhanced durability.



UPPER

- Full-grain leather upper for enhanced durability
- Padded collar for improved comfort
- Padded bellows tongue for added comfort and enhanced defence against debris entering the boot
- Punch detail for enhanced breathability
- 4 pairs of lace guides and 3 sets of metal hooks
- Anti-toe and heel scuff for enhanced durability
- Heel stiffener for shape longevity

TOP SOCK

- Anti-fungal, anti-bacterial and anti-static

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 - 55
- Shank reinforcement for arch support
- Available with a steel midsole - 8034

TOE CAP

- Steel - extra-wide fitting

SOLE

- Double Density PU/PU with TPU inserts
- Heat resistant to 95°C
- SRA slip-resistance rating
- Anti-static
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 - 70

SANS / ISO 20345

STC | NRCS/9002/287766/0430



EAGLE

8025 - STC

BLACK AND GREY | SIZE: 5 - 12

The partner boot to the Hawk shoe, the Eagle, with punch detail for enhanced breathability, is designed with the construction worker in mind. Fitted with an aggressive TPU grip in the arch area of the sole for optimum support on scaffolding and ladders, the shoe further incorporates a padded collar and padded bellows tongue for enhanced comfort, as well as an anti-toe and heel scuff for enhanced durability.



UPPER

- Full-grain leather upper for enhanced durability
- Padded collar for improved comfort
- Padded bellows tongue for added comfort and enhanced defence against debris entering the boot
- Punch detail for enhanced breathability
- 3 pair lace guides and 3 sets metal hooks
- Anti-toe and heel scuff for enhanced durability
- Heel stiffener for shape longevity

TOP SOCK

- Anti-fungal, anti-bacterial and anti-static

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 - 55
- Shank reinforcement for arch support
- Available with a steel midsole - 8035

TOE CAP

- Steel - extra-wide fitting

SOLE

- Double Density PU/PU with TPU inserts
- Heat resistant to 95°C
- SRA slip-resistance rating
- Anti-static
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 - 70

SANS / ISO 20345

STC | NRCS/9002/287766/0431

RELIABILITY.

When it comes to safety, our footwear is not only reinforced with durable materials, it is also reinforced with the reliability of over 40 years' industry experience. Consistently producing quality safety footwear has earned Lemaitre a dependable and trustworthy reputation, positioning us as one of the best in our industry, as you strive to be the best in yours.



2

APOLLO RANGE

| SLIP-RESISTANCE

The Lemaitre Apollo range offers slip-resistance and is perfectly suited for environments where slip potential has been identified as high risk. From petrol stations, to kitchens and hospitals, this range is designed to provide maximum surface contact ensuring maximum grip. The square cleat edges and flow lines in the cleat design of these safety shoes and boots can traverse any surface area to maximise the slip-resistance effect. Let hard-working feet stay firmly on the ground in Lemaitre's range of slip-resistant safety footwear.

NEW



BEN

8003 – STC

BLACK/GREY | SIZE: 4 - 12

The Ben shoe incorporates the benefits of the Apollo sole unit on a genuine leather upper characterised by no metal or hard plastic in the upper construction. This minimises the risk of scratching metal and other smooth surfaces making it ideal for manufacturing and automotive industries.



SCAN TO VIEW
VIDEO



UPPER

- Haircell print genuine leather upper
- Padded collar and bellows tongue
- Durable black PU material in tongue
- No metal or hard plastics in the upper construction to eliminate any scratching on metal or other surfaces
- Braided nylon laces with central core for additional strength

TOP SOCK

- Footology Elastopan climate control insole is a moulded insole which provides superior cushioning, lightweight comfort, breathability and durability
- PU Elastopan material ensures good thermal regulation to keep feet cool
- Treated with anti-bacterial and anti-microbial agent
- Anti-static

MIDSOLE

- Shank reinforcement for additional arch support
- Made from a flexible low density polyurethane with a shore hardness of 45 – 55

TOE CAP

- Steel (200 Joules)

SOLE

- The Apollo sole is made from Double Density PU/PU
- The outer sole is made from a high durability polyurethane with a shore hardness of 55 – 70
- The shoe can withstand temperatures up to 95°C
- The shoe has SRC rated slip-resistance
- Anti-static

SANS / ISO 20345

STC | NRCS/9002/287766/0292

CLOG

8009 – STC | 8099 – NSTC

BLACK | SIZE: 2 - 12

The Clog has been designed to provide superior slip-resistance to those working in kitchens and hospitals. The elastic side gussets ensure easy entry and removal of the shoe, whilst the absence of Velcro straps and fasteners increase the shoe's hygienic properties. Fitted with a padded collar for enhanced comfort, the Clog is available in an extended size range and carries a SRC slip-resistance rating.



UPPER

- Genuine haircell leather for strength and durability
- Padded collar for enhanced comfort
- Heel stiffener for shape longevity
- Elastic side gussets for ease of entry and exit of the shoe

TOP SOCK

- Footology Elastopan climate control insole is a moulded insole which provides superior cushioning, lightweight comfort, breathability and durability
- PU Elastopan material ensures good thermal regulation to keep feet cool
- Treated with anti-bacterial and anti-microbial agent
- Anti-static

MIDSOLE

- Shank reinforcement for additional arch support
- The midsole is made from a flexible low density polyurethane with a shore hardness of 45 – 55

TOE CAP

- Steel (200 joules)
- Also available with a soft toe – 8099

SOLE

- The Apollo sole is made from Double Density PU/PU
- The outer sole is made from a high durability polyurethane with a shore hardness of 55 – 70
- The shoe can withstand temperatures up to 95°C
- The shoe has SRC rated slip-resistance
- Anti-static

SANS / ISO 20345

STC | NRCS/9002/287766/0445



SCAN TO VIEW
VIDEO

SPORT

8050 - STC

BLACK WITH GREEN MESH COLLAR | SIZE: 2 - 12

The Apollo Sport shoe has become a household name at petrol filling stations throughout the country due to its SRC slip-resistance rated soles and anti-static properties. The Apollo Sport shoe now comes with the footology insole. The discerning black design allows this shoe to fit seamlessly with uniform requirements and coupled with its extended size curve, the Sport has become a favourite in the industry.



UPPER

- Genuine Buffalo print leather upper for enhanced durability
- Padded collar for improved comfort and ankle support
- Padded bellows tongue for defence against debris entering the boot
- 4 pair D-ring lace-up and 1 pair telescopic eyelets for quick lacing and release
- Heel stiffener for shape longevity

TOP SOCK

- Footology Elastopan climate control insole provides superior cushioning, lightweight comfort, breathability and durability
- PU Elastopan material ensures good thermal regulation to keep feet cool
- Treated with anti-bacterial and anti-microbial agent
- Anti-static

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 - 55
- Shank reinforcement for arch support

TOE CAP

- Steel - wide fitting

SOLE

- Double Density PU/PU
- Heat resistant to 95°C
- SRC slip-resistance rating
- Anti-static
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 - 70

SANS / ISO 20345

STC | NRCS/9002/287766/0345

GALAXY

8095 - STC

BLACK | SIZE: 5 - 12

The Galaxy has become a favourite for those who require the protection of a boot and the slip-resistance of a SRC rated sole. The padding in the collar ensures added comfort and ankle support to the wearer, while the bellows tongue provides superior defence against unwanted debris entering the boot. The D-ring lace-up system ensures easy entry to the boot and swift removal when it matters most.



UPPER

- Genuine Barton print leather upper
- Padded collar for improved comfort and ankle support
- Padded bellows tongue for defence against debris entering the boot
- 4 pair D-ring lace-up for quick lacing and release
- Heel stiffener for shape longevity

TOP SOCK

- Anti-fungal, anti-bacterial and anti-static

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 - 55
- Shank reinforcement for arch support

TOE CAP

- Steel - wide fitting

SOLE

- Double Density PU/PU
- Heat resistant to 95°C
- SRC slip-resistance rating
- Anti-static
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 - 70

SANS / ISO 20345

STC | NRCS/9002/287766/0344





HANDS-ON.

As a new pair of safety footwear is created along the way in our factory, it's passed through many hands that add their skilled touch of workmanship. We work with a collective hands-on approach where our people collaborate efficiently. Our safety footwear starts taking shape by the experienced hands of people whose skills have been passed down generations. Wearing Lemaître means that you wear safety footwear that is as authentic and hard-working as you are.



GLADIUS

| ALL-ROUND SAFETY

We introduced the Gladius mould as an evolution in the general safety category. The Gladius range encompasses versatile all-round safety footwear featuring styles such as the Maxeco Pro, Robust, Metaguard, Maximus, Eros, Zeus, and Turtle; all designed to meet the rigorous demands of modern work environments. The Gladius range continues our legacy of reliability while providing the best balance of safety and comfort features.

MAXECO PRO

8131 – STC | 8160 – NSTC | 8110 – SMS

BLACK OR TAN | SIZE: 2 - 13

The legendary Maxeco boot has made a name for itself in a number of sectors due to its ability to move seamlessly between varying terrains. The padded collar and padded bellows tongue provides comfort, while the extended size range enables procurement to easily cover the size curve of their workforce. Available with or without a steel toe cap, with the added choice of a steel midsole, the Maxeco boot has become the go-to boot of choice in the presence of general working hazards.

SCAN TO VIEW
VIDEO

UPPER

- Full grain genuine leather upper 1.8 – 2.0mm provides added durability, strength and comfort.
- PlushShield additional padding in the collar
- Bellows tongue to prevent debris from entering the boot
- Cambrill laminated lining on collar and vamp
- Non-corrosive brass D-rings for secure and quick lacing
- 100cm round lace with central core

TOP SOCK

- 200J impact resistance

INSOLE

- LM-Cloud footbed with anti-microbial treated memory foam and birds-eye lining for cushioning and ventilation keeping feet dry and odour-free throughout the day.
- Memory foam excels in absorbing shocks and distributing impact energy evenly, reducing the strain on your feet and joints
- This enhanced cushioning significantly reduces pressure points, ensuring comfort during prolonged periods of wear.
- Memory foam has breathable properties that aid in temperature regulation, preventing overheating and moisture buildup

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 – 55
- Shank reinforcement for arch support
- Steel midsole optional – 8110

TOE CAP

- 200J impact resistance
- Available with a soft toe – 8160

SOLE

- Double Density PU/PU
- Gladius sole unit with wider fit for comfort, aggressive cleats for improved grip and slip resistance and transition bridge for stability.
- Heat resistant up to 95°C
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 – 70
- Anti-static
- SR slip resistance rating
- Reflective dome sticker for visibility in low light conditions

SANS / ISO 20345

STC | NRCS/9002/0260 SMS | NRCS/287766/0396

*disclaimer: ISO 20345 Excludes soft toe versions of footwear



ROBUST

8102 – STC

BLACK | SIZE: 2 - 13

The Robust shoe has found popularity in the market due to its corporate inspired design paired with safety functionality. The padded collar ensures comfort and ankle support, while the metal rivet and cap enhances the durability and adds sophistication. Offered in a choice of black or tan, the shoe is available with or without a steel toe cap to suit the wearer's requirements.

UPPER

- Genuine Barton print leather upper
- Padded collar for enhanced comfort and ankle support
- 3 pair eyelet lace-up
- Metal rivet and cap reinforcing for enhanced durability
- Heel stiffener for shape longevity

TOP SOCK

- Anti-fungal, anti-bacterial and anti-static

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 – 55
- Shank reinforcement for arch support

TOE CAP

- Steel – wide fitting

SOLE

- Double Density PU/PU
- Heat resistant to 95°C
- SRA slip-resistance rating
- Anti-static
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 – 70

SANS / ISO 20345

STC | NRCS/9002/287766/0351



METAGUARD

8061 - STC

BLACK | SIZE: 3 - 13

Born from a need for an all-round safety lace-up boot that provides enhanced protection to the metatarsal area, the Maxeco boot was updated to include a highly durable metaguard. The Metaguard safety boot provides an extended size curve making it easy for procurement departments to provide the same spec boot for their staff.



UPPER

- Genuine Barton print leather upper
- Padded collar for enhanced comfort and ankle support
- Padded bellows tongue for defence against debris entering the boot
- 4 pair D-ring lace-up for quick lacing and release
- Heel stiffener for shape longevity
- Polypropylene metaguard for enhanced protection of the metatarsal bones

TOP SOCK

- Anti-fungal, anti-bacterial and anti-static

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 - 55
- Shank reinforcement for arch support

TOE CAP

- Steel - wide fitting

SOLE

- Double Density PU/PU
- Heat resistant to 95°C
- SRA slip-resistance rating
- Anti-static
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 - 70

SANS / ISO 20345

STC | NRCS/9002/287766/0303

MAXIMUS

8078 - STC |

BLACK | SIZE: 3 - 13

The Maximus brings the wearer more in all-round safety. It incorporates a lighter sole unit, and increased width in the sole enhances the slip-resistance, providing better stability and reduced shock impact. The reflective insert at the rear of the boot ensures increased visibility in low light.



SCAN TO VIEW
VIDEO



UPPER

- Barton print leather with leather collar and tongue
- EVA padded collar and padded bellows tongue for enhanced comfort and ankle support
- Heel stiffener for shape longevity
- 4 pair brass D-ring for quick lacing and release
- 110cm black and red braided nylon laces with central core for additional strength
- Reflective inserts for increased visibility in low light
- TPU heel support structure for reinforcement and additional strength

TOP SOCK

- Anti-static in-sock is made from 2mm non-woven material
- Memory foam with ultra-cushioning comfort and quick drying properties
- Treated with anti-bacterial and anti-fungal
- Excellent moisture wicking properties
- Washable and breathable

MIDSOLE

- Shank reinforcement for additional arch support
- Made from a flexible low density polyurethane with a shore hardness of 45 - 55

TOE CAP

- Steel (200 Joules)

SOLE

- The Gladius sole is made from Double Density PU/PU
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 - 70
- Can withstand temperatures up to 95°C
- SR Slip resistance
- The boot is anti-static

SANS / ISO 20345

STC | NRCS/9002/287766/0324

APT | NRCS 9002/287766/0436

GLADIUS RANGE



MORE COMFORTABLE



IMPROVED ERGONOMICS WITH WIDER FITTING SOLE UNIT

MORE STURDY



WITH ADDITIONAL 3MM WIDTH FOR LARGER CONTACT AREA

MORE SLIP RESISTANT



SR SLIP RESISTANCE, DUE TO THE SQUARE CLEAT DESIGN ON THE NEW SOLE



EROS

8088 - STC
BLACK | SIZE: 5 - 12

This slip-on-slip-off shoe has found popularity amongst those looking for a no-hassle safety shoe. The simple stylings and choice of colour have made this shoe a favourite amongst management personnel, allowing them to move seamlessly between the office and factory environments. Fitted on the lighter Gladius sole unit, the Eros provides increased slip-resistance and better stability.



UPPER

- Full-grain leather upper for enhanced durability
- Padded collar and lip for improved comfort and ankle support
- Elastic side gussets for quick entry and exit that also accommodates varying foot widths
- Heel stiffener for shape longevity

TOP SOCK

- Anti-fungal, anti-bacterial and anti-static

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 – 55
- Shank reinforcement for arch support

TOE CAP

- Steel – wide fitting

SOLE

- Double Density PU/PU
- Heat resistant to 95°C
- SR Slip resistance
- Anti-static
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 – 70

SANS / ISO 20345

STC | NRCS/9002/287766/0349

ZEUS

8115 - STC (BLACK OR BROWN) | 8114 - NSTC (BROWN)
BLACK OR BROWN | SIZE: 3 - 13

Proudly positioned as the country's top selling Chelsea boot, the Zeus is now available on the lighter and wider Gladius sole unit. Fitted with elastic side gussets and pull-tabs to allow for easy entry and exit of the boot, the Zeus is available in a choice of black or brown and can be purchased with or without a steel toe cap.



UPPER

- Full-grain leather upper for durability
- Elastic side gussets and 2 pull-tabs for easy entry and exit
- Heel stiffener for shape longevity

TOP SOCK

- Anti-fungal, anti-bacterial and anti-static

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 – 55
- Shank reinforcement for arch support

TOE CAP

- Steel – wide fitting
- Available with a soft toe – 8114

SOLE

- Double Density PU/PU
- Heat resistant to 95°C
- SR Slip resistance
- Anti-static
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 – 70

SANS / ISO 20345

STC | NRCS/9002/287766/0377

**disclaimer: ISO 20345 Excludes soft toe versions of footwear*

TURTLE

8132 - STC
BLACK | SIZE: 3 - 13

Born from a need for an all-round safety pull-on boot that provides enhanced protection to the metatarsal area, the Zeus boot was updated to include a metaguard. This technical work boot includes a permanently attached Polypropylene metatarsal deflector to protect the metatarsal bones of the foot from falling objects.



UPPER

- Genuine full-grain leather upper for durability
- Elastic side gussets and pull-tab for easy entry and exit
- Heel stiffener for shape longevity
- Polypropylene metaguard for enhanced protection of the metatarsal bones

TOP SOCK

- Anti-fungal, anti-bacterial and anti-static

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 – 55
- Shank reinforcement for arch support

TOE CAP


- Steel – wide fitting

SOLE

- Double Density PU/PU
- Heat resistant to 95°C
- SR Slip resistance
- Anti-static
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 – 70

SANS / ISO 20345

STC | NRCS/9002/287766/0380



Before our safety footwear reaches the final stages of our production line, they are meticulously inspected to meet our quality standards. Each pair is checked for any imperfections, with eyes fixated on the smallest of details. We respect all workers and the work that they do, making sure that the person who wears a pair of Lemaitre safety shoes is wearing a product that is as perfect as it can be. We won't ever compromise on our attention to detail and quality because we know you won't compromise either.

DETAIL.



PARABOLIC RANGE

COMFORT & ANTI-FATIGUE SUPPORT

The Lemaitre Parabolic range, with a thick polyurethane midsole, provides extra comfort for workers who spend long periods of time on their feet in industries such as manufacturing. The parabolic curve in the sole adds “spring” by absorbing the wearer’s mass. Discomfort is further eliminated by the deep cleats and air movement channels preventing heat dissipation through the sole. Treat hard-working feet to Lemaitre’s range of comfort inspired safety footwear.

NEW

CONCORDE SHOE

8020 - STC
BROWN | SIZE: 5 - 12



The Concorde shoe forms part of the Parabolic Range, the thick PU midsole and deep cleats offer dispersion of pressure and extra comfort for feet, while the parabolic curve adds 'spring' by absorbing the wearer's mass. Making this shoe perfect for workers who spend long periods of time on their feet in industries such as manufacturing and management.



SCAN TO VIEW
VIDEO (BOOT AND SHOE)

UPPER

- Full-grain S2 Cow Rugger Waxy leather
- Leather extra padded collar and tongue
- 100cm braided nylon laces with central core for additional strength
- Treated for water, dust and stain resistance
- Water resistant treated seams

TOP SOCK

- Footology Elastopan climate control insole is a moulded insole which provides superior cushioning, lightweight comfort, breathability and durability
- PU Elastopan material ensures good thermal regulation to keep feet cool
- Treated with anti-bacterial and anti-microbial agent
- Anti-static

MIDSOLE

- Shank reinforcement for additional arch support
- The midsole is made from a flexible low density polyurethane with a shore hardness of 45 - 55
- Anti-penetration (APT) midsole for protection against sharp objects penetrating the shoe

TOE CAP

- Steel (200 Joules)

SOLE

- The Parabolic sole is made from Double Density PU/PU with a concave curve to cushion impact
- The outer sole is made from a high durability polyurethane with a shore hardness of 55 - 70
- The shoe can withstand temperatures up to 95°C
- The shoe has SRA rated slip-resistance
- Anti-static

SANS / ISO 20345

STC | NRCS 9002/287766/0569

NEW

CONCORDE BOOT

8021 - STC
BROWN | SIZE: 5 - 12



The Concorde boot forms part of the Parabolic Range, the thick PU midsole and deep cleats offer dispersion of pressure and extra comfort for feet, while the parabolic curve adds 'spring' by absorbing the wearer's mass. Making this boot perfect for workers who spend long periods of time on their feet in industries such as manufacturing and management.



UPPER

- Full-grain S2 Cow Rugger Waxy leather
- Leather extra padded collar and tongue
- 100cm braided nylon laces with central core for additional strength
- Treated for water, dust and stain resistance
- Water resistant treated seams

TOP SOCK

- Footology Elastopan climate control insole is a moulded insole which provides superior cushioning, lightweight comfort, breathability and durability
- PU Elastopan material ensures good thermal regulation to keep feet cool
- Treated with anti-bacterial and anti-microbial agent
- Anti-static

MIDSOLE

- Shank reinforcement for additional arch support
- The midsole is made from a flexible low density polyurethane with a shore hardness of 45 - 55
- Anti-penetration (APT) midsole for protection against sharp objects penetrating the shoe

TOE CAP

- Steel (200 Joules)

SOLE

- The Parabolic sole is made from Double Density PU/PU with a concave curve to cushion impact
- The outer sole is made from a high durability polyurethane with a shore hardness of 55 - 70
- The shoe can withstand temperatures up to 95°C
- The shoe has SRA rated slip-resistance
- Anti-static

SANS / ISO 20345

STC | NRCS/9002/287766/0284



NOMAD

8001 - STC

BLACK | SIZE: 5 - 12

The Nomad safety boot is recommended for those spending long hours on their feet. The full bellows tongue gives utmost protection from debris entering the footwear while the padded collar offers exceptional comfort and ankle support. The Nomad's D-ring lacing system ensures quick release when it matters most and the extra-wide steel toe cap ensures the perfect fit for the South African foot.



UPPER

- Genuine Barton print leather upper
- Padded collar for enhanced comfort and ankle support
- Padded bellows tongue for defence against debris entering the boot
- Reflective piping for enhanced visibility at night
- 4 pair D-ring lace-up for quick lacing and release
- Heel stiffener for shape longevity

TOP SOCK

- Anti-fungal, anti-bacterial and anti-static

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 - 55
- Shank reinforcement for arch support

TOE CAP

- Steel - extra-wide fitting

SOLE

- Double Density PU/PU with concave curve to cushion impact
- Heat resistant to 95°C
- SRA slip-resistance rating
- Anti-static
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 - 70

SANS / ISO 20345

STC | NRCS/9002/287766/0402

QUEST

8002 - STC

BLACK | SIZE: 5 - 12

The Quest safety shoe offers superior comfort for wearers who spend long hours on their feet. The fashionable double stitched upper with metal rivets provides extra strength and durability, while the padded collar offers enhanced comfort and ankle support. The sole includes a parabolic concave curve to cushion impact and add 'spring' by absorbing the wearer's mass.



UPPER

- Genuine Apollo print leather upper
- Padded collar for enhanced comfort and ankle support
- Metal rivet and cap reinforcing for enhanced durability
- 4 pair telescopic eyelets
- Heel stiffener for shape longevity

TOP SOCK

- Anti-fungal, anti-bacterial and anti-static

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 - 55
- Shank reinforcement for arch support

TOE CAP

- Steel - extra-wide fitting

SOLE

- Double Density PU/PU with concave curve to cushion impact
- Heat resistant to 95°C
- SRA slip-resistance rating
- Anti-static
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 - 70

SANS / ISO 20345

STC | NRCS/9002/287766/0272

ODYSSEY

8000 - STC

BROWN | SIZE: 5 - 12

The Odyssey safety boot is designed for maximum comfort to suit workers who spend long hours on their feet. The comfort provided by the padded collar and padded bellows tongue is complemented by the cushion impact provided by the parabolic curve in the sole. The reflective Ghillie lacing loops enhance the visibility for those working on roads and at night, and the double stitching of the leather upper adds extra strength to enhance the durability of the boot.



UPPER

- Genuine Apollo print leather upper
- Padded collar for enhanced comfort and ankle support
- Padded bellows tongue for comfort and defence against debris entering the boot
- Metal rivet and cap reinforcing for enhanced durability
- 1 pair telescopic eyelets and 3 pair reflective Ghillie loops with hooks
- Heel stiffener for shape longevity

TOP SOCK

- Anti-fungal, anti-bacterial and anti-static

MIDSOLE

- Made from a flexible low density polyurethane with a shore hardness of 45 - 55
- Shank reinforcement for arch support

TOE CAP

- Steel - extra-wide fitting

SOLE

- Double Density PU/PU with concave curve to cushion impact
- Heat resistant to 95°C
- SRA slip-resistance rating
- Anti-static
- The outer sole is made from a hardwearing polyurethane with a shore hardness of 55 - 70

SANS / ISO 20345

STC | NRCS/9002/287766/0273

PRIDE.

As our safety footwear is placed in a Lemaitre shoebox and makes its way to our distributors, we take pride in completing an honest day's work, understanding and appreciating our part in the bigger picture, as we build South Africa together. We proudly hand over our craft, as we pass it on from one worker to another.





THE INYATI RANGE



**RUBBER OUTSOLE
PROTECTION FOR DURABILITY,
GRIP AND COMFORT.**



PU/RUBBER

The Inyati range offers a tough durable PU/Rubber sole ensuring optimum comfort, durability and protection in some of the toughest conditions. The PU/Rubber sole features high heat, cut and abrasion resistance with an SRC rated slip resistance as well as resistance to water, oil and certain chemicals, ensuring optimal protection in the workplace.

The PU/Rubber sole is ideal for industries such as chemical, petro chemical, high heat environments – road works and tough agricultural and mining environments. The Inyati range features genuine leather uppers allowing you to step out with confidence, knowing your feet will be protected in tough conditions. Give hard-working feet the protection they deserve in Lemaitre's range of durable safety footwear.

NEW

DODGE

4008 - STC

BROWN | SIZE: 4 - 13

The Dodge provides wearers with extra protection and durability. It boasts a PU/Rubber sole which offers resistance to water, oil, and heat, and is also cut and abrasion resistant. The boot is ideal for situations where there is a high risk of electric shock, making it perfect for the mining, electrical and civil engineering industries.



SCAN TO VIEW
VIDEO



UPPER

- Vintage style genuine pull up leather
- Extra padded leather collar and tongue
- 140cm braided nylon laces with central core for additional strength
- 5 pair Mogul eyelets and 2 pair of metal ski hooks
- TPU support system on outside counter

TOP SOCK

- Footology Elastopan climate control insole is a moulded insole which provides superior cushioning, lightweight comfort, breathability and durability
- PU Elastopan material ensures good thermal regulation to keep feet cool
- Treated with an anti-bacterial and anti-microbial agent
- Anti-static

MIDSOLE

- The midsole is made from a low density flexible polyurethane for comfort and flexibility with a shore hardness of 45 - 55

TOE CAP

- Steel (200 Joules)

SOLE

- The PU/Rubber is heat resistant, cut and abrasion resistant and provides excellent SRC slip-resistance
- The outer sole is made from a hard wearing PU/Rubber with a shore hardness of 60 - 75

SANS / ISO 20345

STC | NRCS 9002/287766/0393

NEW

URBAN

4009 - STC

BLACK | SIZE: 4 - 13



The Urban provides wearers with extra protection and durability. It boasts a PU/Rubber sole which offers resistance to water and oil. It has high heat resistant properties, and is also SRC rated for slip-resistance. The boot is ideal for situations where there is a high risk of electric shock, making it perfect for the mining, electrical, petrochemical and civil engineering industries. Chemical reactions differ, site assessment should be done for PPE recommendations.



SCAN TO VIEW
VIDEO



UPPER

- Genuine S2 duo tone smooth leather upper
- Extra padded collar and tongue
- Reflective strips for increased visibility
- 180cm flame-retardant nylon laces with central core for additional strength
- Scuff resistant TPU bump cap
- 4 pair Brass D-rings and 3 pair lace hooks
- Water resistant treated seams

TOP SOCK

- Footology Elastopan climate control insole is a moulded insole which provides superior cushioning, lightweight comfort, breathability and durability
- PU Elastopan material ensures good thermal regulation to keep feet cool
- Treated with anti-bacterial and anti-microbial agent
- Anti-static

MIDSOLE

- The midsole is made from a low density flexible polyurethane for comfort and flexibility with a shore hardness of 45 - 55
- Anti-penetration (APT) midsole for protection against sharp objects penetrating the shoe

TOE CAP

- Steel (200 Joules)

SOLE

- The PU/Rubber outsole is heat, cut and abrasion resistant and provides SRC rated slip-resistance on most surfaces
- The outer sole is made from a high durability PU/Rubber with a shore hardness of 60 - 75

SANS / ISO 20345

STC | NRCS/9002/287766/0308

TITANIUM

4003 - STC

BLACK OR BROWN | SIZE: 4 - 13

The Titanium is purpose-built to provide wearers with protection and resistance in environments that pose a range of risks. The PU/Rubber sole is resistant to water and oil, and has a high heat resistance. This non-conductive boot is designed for durability and utmost safety in a variety of hazardous areas.



UPPER

- Buffalo side smooth leather
- The 4 pairs of eyelets and 2 pairs of ski hooks are made from steel, treated with corrosion resistant "gunmetal" coating
- The lace is braided and made from a polyester yarn with high abrasion resistance
- The collar padding material is from open cell foam for superior comfort and support

TOP SOCK

- Anti-static in-sock is made from 2mm non-woven material
- Memory foam with ultra-cushioning comfort and quick drying properties
- Treated with anti-bacterial and anti-fungal
- Excellent moisture wicking properties
- Washable and breathable
- Anti-static stitching

MIDSOLE

- The midsole is made from a low density flexible polyurethane for comfort and flexibility with a shore hardness of 45 - 55

TOE CAP

- Steel (200 Joules)

SOLE

- The PU/Rubber outsole is heat, cut and abrasion resistant and provides SRC rated slip-resistance on most surfaces
- The outer sole is made from a high durability PU/Rubber with a shore hardness of 60 - 75

SANS / ISO 20345

STC | NRCS/9002/287766/0305

WARRIOR

4250 - STC

BLACK | SIZE: 4 - 13

The Warrior is versatile and capable when it comes to standing up to hazards in the working environment. Water and oil are no match for its PU/Rubber sole. The shoe is non-conductive with high heat resistance, providing wearers with comfort that doesn't sacrifice safety.



UPPER

- Waxy side smooth leather
- The 4 pairs of eyelets are made from steel, which has been treated with a corrosion resistant "gunmetal" coating
- The lace is braided and made from a polyester yarn with high abrasion resistance together with a central core for additional strength
- The collar padding material is from open cell foam for superior comfort and support

TOP SOCK

- Made from a specially developed anti-static, non-woven material, which has exceptional directional stability, durability and comfort

MIDSOLE

- The cushioned midsole is made from a flexible low density polyurethane with a shore hardness of 45 - 55

TOE CAP

- Steel (200 Joules)

SOLE

- The PU/Rubber outsole is heat, cut and abrasion resistant and provides SRC rated slip-resistance on most surfaces
- The outer sole is made from a high durability PU/Rubber with a shore hardness of 60 - 75

SANS / ISO 20345

STC | NRCS/9002/287766/0350



LEMAITRE GLOBAL

Lemaitre is a proudly South African brand dedicated to producing top-quality safety footwear crafted “by workers, for workers.” As part of the BBF Safety Group, the largest manufacturer of safety footwear in Africa, Lemaitre ensures that every product meets stringent international safety standards through meticulous material selection and skilled craftsmanship. In addition, Lemaitre Global taps into international trends, offering niche styles that complement local preferences and strengthen the brand’s global competitiveness. This blend of local production and selective importing allows Lemaitre to support South Africa’s economy and workforce while delivering exceptional safety footwear.





STAY GROUNDED IN THE **NEW RAGE** **AND BOLT** SAFETY SHOES



ESD RANGE

ELECTROSTATIC DISCHARGE PREVENTS STATIC BUILD-UP

Lemaître's new ESD range is developed to prevent static build-up in line with global standards for industries working with sensitive electronic equipments and components such as automotive, electronics manufacturing, chemical industries and cleanrooms. ESD protection protects both workers and equipment helping prevent damage to sensitive electronics and reducing the risk of igniting flammable substances. Trust Lemaître's ESD range to stay grounded in the workplace.

PARABOLIC

BOLT S3 ESD

4-12 | Black | 8405-STC



Water-repellent micro fibre upper, velour finish for lightweight features and an increase resistance to tear and abrasion

ParaBolic®
Technology

- Superior comfort with concave curve
- Superior Grip
- Fatigue-reducing design

- Double-density PU sole
- SR slip resistance
- Rounded heel strike for natural rolling of foot and driving comfort
- Comfort in every step with concave curve



ESD shoe, electrical resistance < 35 MΩ.

ESD safety

Steel toe cap

Anti-penetration midsole for protection against sharp objects.

Moulded EVA insole for all-day Comfort and Support: Features a cushioned heel and Poron heel insert for enhanced shock absorption. Designed to be lightweight and breathable, with a velour-lined finish for a smooth feel.

GENESIS

RAGE S3 ESD

4-12 | BLACK | 8406



Water-repellent micro fibre upper, velour finish for lightweight features and an increase resistance to tear and abrasion

- Double-density PU sole
- SR slip resistance
- Multiple flex points in forefoot for natural flex
- Ladder grip design
- Heel energy absorption
- Arch support for stability



ESD shoe, electrical resistance < 35 MΩ.

Lightweight aluminium toe cap

Anti-penetration midsole for protection against sharp objects.

Moulded EVA insole for all-day Comfort and Support: Features a cushioned heel and Poron heel insert for enhanced shock absorption. Designed to be lightweight and breathable, with a velour-lined finish for a smooth feel.

PARABOLIC

Reinforced toe: for longer durability of the shoe

SR Slip Resistance

Rounded heel strike for natural rolling of foot and driving comfort

Reinforced tip Arch support

Supports the natural rolling function of the foot

Reinforced heel area

Shock absorption of the heel



Parabolic Sole Unit:
Dual Density PU sole

ParaBolic®
Technology

CONCAVE CURVED SOLE TO CUSHION IMPACT



GENESIS



SR slip resistance

Multiple flex points in forefoot for natural flex

Lateral edges :
Arch support with front
and rear reinforcements
and ladder grip design

■ GENESIS PU2D SOLE UNIT:
Dual Density PU sole

Arch support for stability

Heel energy absorption


Multiple flex points in forefoot for natural flex

ADVANCED SAFETY FOOTWEAR WITH COMFORT AND STYLE





SR



The Street PU2D is designed for those who demand both protection and comfort in urban environments. With advanced features tailored to enhance stability, grip, and durability, this footwear ensures you stay safe and comfortable throughout your day.



OMAHA S3

3 - 13 | 8407



Lightweight, water-repellent
microfiber upper

Debris-blocking gusseted tongue

Lightweight
aluminium toe cap

Reflective
upper strip.

- PU double-density sole
- SR slip resistance & grip
- Wider & flatter design for stability
- Enhanced heel & forefoot shock absorption
- Stud grooves and asymmetric design
- Vertical grooves for water dispersion.

**OCEAN S3**

3 - 13 | 8408



STREET



SR slip resistance

Wider & flatter design
for stability

Stud grooves with
asymmetric design

Street Sole unit:
Double Density Pu sole

Enhanced heel & forefoot
shock absorption

Strain zone support with
shock absorption

Vertical grooves for water dispersion

ALL SHOES IN THE RANGE COME WITH AN
ERGONOMIC MOULDED
EVA INSOLE
FOR ALL-DAY COMFORT



CUSHIONED HEEL AND
PORON HEEL INSERT

EXTRA SHOCK
ABSORPTION

LIGHTWEIGHT &
BREATHABLE

THERMAL REGULATION

VELOUR-LINED FINISH FOR
SMOOTH FEEL



LEMAITRE
SAFETY FOOTWEAR

FROM SHORE TO SHORE FROM ONE WORKER **TO ANOTHER**



Scan here to view the
Lemaître Global video



CHEMICAL RESISTANCE TABLE

5 EXCELLENT
0-3% CHANGE

4 GOOD
4-15% CHANGE

3 FAIR
16-30% CHANGE

2 POOR
MORE THAN 30% CHANGE

1 DISSOLVES

THIS TABLE IS ONLY RELEVANT TO Polyurethane SOLES

3 Acetic Acid 3 n	1 Dimethyl Acetamide	2 Methylene Chloride
2 Acetone	1 Dimethyl Formamide	5 Mineral Oil
4 Aluminium Chloride 10% Sol.	5 Distilled Water	1 Nitric Acid 3 n
5 Ammonia 3 n	3 Ethanol	1 N-Methyl Pyrrolidone
5 Ammonium Chloride 10% Sol.	3 Ether	5 Ozone
2 Aniline	2 Ethyl Acetate	5 Paraffin Oil
5 ASTM-Fuel A	3 Ethylene Chloride	2 Perchlroethylene
4 ASTM-Fuel B	4 Ferric Chloride 10% Sol.	5 Petroleum
3 ASTM-Fuel C	2 Formic Acid 3 n	5 Petroleum Ether
5 ASTM-Oil 1	3 Freon 12	3 Phosphoric Acid 3 n
5 ASTM-Oil 2	3 Freon 22	5 Potassium Chloride 10% & 40% Sol.
5 ASTM-Oil 3	5 Gear Box Oil SAE 90	5 Potassium Dichromate 10% Sol.
2 Benzene	5 Glycerine	5 Potassium Hydroxide 3 n
1 Benzyl Alcohol	5 Glycol	4 Potassium Nitrate
5 Bleach	5 Hydrochloric Acid 3 n	2 Potassium Permanganate 5% Sol.
5 Brake Fluid ATE	5 Hydrogen Peroxide 3%	4 Propane
5 Brake Fluid ATS	5 Iso-Octane = Fuel 1	1 Pyridine
4 Butane	4 Iso-Octane 70%:30% Toluene=Fuel 2	5 Sea Water(Technical)
2 Butyl Acetate	3 Iso-Octane 50%:50% Toluene=Fuel 3	4 Sodium Bisulphate 10% Sol.
3 Butyl Alcohol	4 Iso-Propanol	5 Sodium Chloride 10% Sol.
5 Calcium Chloride 10% & 40% Sol.	5 Kerosine	3 Sodium Hypochlorite Sol. PH 13
3 Carbon Disulphide	1 Lactic Acid 3 n	4 Sodium Sulphite
2 Carbon Tetrachloride	5 Lubricating Grease: Calcium based	1 Sulphuric Acid 3 n
5 Caustic Soda Sol. 10%	5 Lithium based	4 Turpentine (Pine Oil)
2 Chlorobenzene	5 Sodium based	2 Tetrachlorethylene
2 Chloroform	5 Magnesium Chloride 10% & 30% Sol.	2 Tetrahydrofuran
2 Chromic Acid 3 n	4 Methane	2 Toluene
4 Citronic Acid 3 n	4 Methanol	2 Trichloroethylene
4 Cyclohexane	2 Methyl Acetate	2 Xylene
2 Cyclohexanon	2 Methyl Ethyl Ketone	
3 Decalin	2 Methyl Glycol	
5 Diesel Oil	2 Methyl Glycol Acetate	

If you are exposed to any of the acids, oils or chemicals that rate 1, 2 or 3 on the table we recommend a rubber sole/boot.

The above table should be used as a general guide only. Performance in the actual working environment will depend upon the following: Temperature of chemicals, concentration of chemicals and duration of exposure to chemicals.



LEMAITRE



**FROM ONE WORKER
TO ANOTHER**



PHYSICAL ADDRESS:

Head office, 37 Gillitts Road,
Pinetown, 3610, South Africa

TEL: +27 87 057 7770

EMAIL: info@bbfsafety.com

WEBSITE: www.lemaitre.co.za

